Telstra IP Telephony - Jabra GN9450 Headset Connecting the Headset to the Handset Quick Reference Guide



Equipment

Base Station & Headset



Telstra IP Phone




1. Connecting the Headset to the Telstra IP Phone

 Connect the headset ear piece to the headband or ear-hook.

On the Base of the Jabra GN9450:

- Connect the power adapter cable to the yellow port on the back of the base station and to the mains power socket.
- Take the Polycom EHS cable out of the bag and connect it to the red AUX port on the back of the base station and then the 5pin jack to the back of your phone.
- Connect the supplied telephone cable to the blue telephone port on the back of the base station and to the telephone headset port on the back of the phone.
- Connect the supplied USB cable into the USB port at the back of the base station and then into a USB port on your PC.

Back of Jabra 9450 Base Station



2. Configuring the Base Station

On the Base of the Jabra GN9450:

- Remove the *Jabra Pro* front *panel* on the base station.
- Ensure the Dial tone selector is set to
 "A"
- To adjust the Microphone volume, slide the microphone dial to increase or decrease the volume as required.
- Press the headset button on the phone to enable the headset to receive calls.

3. Setting up the Phone

- On the phone press *Menu button*.
- Select the following options
 Settings>Basic>Preferences>Headset>
 Analog Headset Mode.
- Use the up or down arrows and select **Jabra DHSG.**
- Press the **Select** soft key.
- Press the *Menu* button again to return to an idle screen.
- The phone will now automatically reboot itself